

# Linksys MFELX1 Datasheet



Linksys MFELX1 100Base-LX SMF 1310nm 15km SFP Transceiver Module

MFELX1

Linksys MFELX1 100Base-LX SMF 1310nm 15km SFP Transceiver Module

Cisco Linksys MFELX1 SFP transceiver supports up to 15km link lengths over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. Featuring low power consumption, the hot swappable 100BASE SFP transceiver is ideal for Internet Service Provider (ISP) Fast Ethernet communication links, Enterprise LAN & SAN Networks, Data Center LAN & SAN Networks and other optical links.

## Specifications

- Model: MFELX1
- Description: 100BASE-LX SFP Transceiver Module (SMF, 1310nm, 15km, LC, DOM)
- Form Factor: SFP
- Max Data Rate: 100Mbps
- Wavelength: 1310nm
- Max Cable Distance: 15km
- Connector: Duplex LC
- Optical Components: FP 1310nm
- Media: SMF
- DOM Support: Yes
- TX Power: -15~-8dBm
- Receiver Sensitivity: <-32.5dBm
- Commercial Temperature Range: 0 to 70°C (32 to 158°F)

[Buy Now](#)

S.F.P.F.U  
Network Optical Equipment

